

# 2023 FORD OUTLAWS RULES

**The creation of an affordable, entry level way to enter stock car racing.  
Keeping the car's stock is the priority.**

**Only Ford Crown Vic, Mercury Grand Marquis, or Lincoln Town Car 1992 or newer.**

## **1. BODY**

- 1.1- Remove all glass and trim.
- 1.2- Remove headlights and taillights.
  - 1.2-1- may cover with sheet metal.
- 1.3- Doors must be welded.
- 1.4- Hood and trunk must have a minimum of 2 hood pins.
  - 1.4-1- locks must be removed.
- 1.5- Stock steering column, may use a quick disconnect steering wheel.
- 1.6- Dash must remain stock with all airbags removed.

## **2. SUSPENSION**

- 2.1- Stock for make and model.

2.1-1-All replaced parts must be OEM replacement or same stock parts only. 2.2- May adjust as factory adjustments allow only.

- 2.3- No air ride allowed.

## **3. WHEELS & TIRES**

- 3.1- Stock steel or aluminum wheels only. (no racing wheels)
  - 3.1-1-All 4 must be the same size and offset.
- 3.2- These tire sizes only 235/55/17, 225/60/16, and 215/70/15. 3.2- All season tires only. No performance or directional allowed.

## **4. ENGINE**

- 4.1- Must remain entirely stock 4.6L SOHC engine.
- 4.2- Pump gas only. (fuel kill switch may be relocated or kill all switch added)

## **5. TRANSMISSION**

- 5.1- Must remain entirely stock.

## **6. REAR END**

- 6.1- Must remain entirely stock
- 6.2- Factory 3.73 gear ratio max.
- 6.3- Factory posi or weld the spider gear. (No aftermarket lockers)

## **7. ROLL CAGE & SAFETY**

- 7.1- Must have seamless tubing 4-point roll cage only with X braced hoop behind driver with minimum of 3 door bars with vertical bracing from top to bottom. Cage must be 1.5" x .095" tubing. Frame must have minimum 1/4 -inch steel plate welded to frame where bars connect.
- 7.2- Approved racing seat and 5-point harness. Must be safely secured to roll cage.
- 7.3 Working fire extinguisher or fire suppression system.
- 7.4- Properly mounted window net.
  - 7.5- Battery may remain in stock location or moved behind driver, must be securely mounted, and covered.
  - 7.6- Radiator must contain water only.
  - 7.7- 2-1/2" max exhaust pipe run to passenger side. May remove catalytic converter.

## **PROTEST & CLAIM**

Visual protest only- \$25

-Must be done 30 mins before event

Protest 3 items for \$300, \$100 acceptance, track keeps \$100

Claim- \$2,000 (whole car, minus seat, belts and any safety equipment) - \$1,200 back-buy

Engine or Transmission Claim -\$650 (no bolt ons) track keeps \$50 - \$450 back-buy

ECU Claim-\$125 -\$75 back-buy

